## SAFETY DATA SHEET



1 OF 5 MAGIC SCENT BLOCKER Revision Date 10/18/2022

## 1. Identification

Product identifier Magic Scent Blocker

Other means of identification

Product name 11223
Chemical name Mineral Oil

**Recommended use** Specified quality tests and assay use only.

**Recommended restrictions** Not for use as a drug. Not for administration to humans or animals.

Manufacturer/Importer/Supplier/Distributor information

Company name Magic Cast Products
Address 3500 Tennesse Rd
Texarkana, Tx

71854 US

**Telephone** 870-330-4061

Website www.magiccastproducts.com

Emergency phone number 800-535-5035

### 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

Aspiration hazard Category 1

OSHA hazard(s) Not classified.

Label elements



Signal word Danger

Hazard statement Causes serious eye irritation. May be fatal if swallowed and enters airways.

**Precautionary statement** 

**Prevention** Wash thoroughly after handling. Wear eye/face protection.

**Response** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If swallowed:

Immediately call a poison center/doctor. Do NOT induce vomiting.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

## 3. Composition/information on ingredients

## Substance

**Hazardous components** 

Chemical nameCommon name and synonymsCAS number%Mineral Oil8012-95-1100

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Rinse skin with water/shower. Get medical attention if irritation develops and persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Aspiration

may cause pulmonary edema and pneumonitis.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Irritation of eyes and mucous membranes.

Treatment of laxative-emollient overdose should be symptomatic and supportive and may include the following:

- Do NOT induce vomiting.
- 2. Do NOT administer activated charcoal, unless there is a coingestant with potentially serious side effects
- 3. Do NOT administer a cathartic.

4. For excessive diarrhea, treat with high fluid intake and monitoring of fluid and electrolyte status. [Meditext 2007]

**General information** 

Remove from exposure. Remove contaminated clothing. For treatment advice, seek guidance from an occupational health physician or other licensed health-care provider familiar with workplace chemical exposures. In the United States, the national poison control center phone number is 1-800-222-1222. If person is not breathing, give artificial respiration. If breathing is For the full text of the H-Statements difficult, give oxygen if available. Persons developing serious hypersensitivity (anaphylactic) reactions must receive immediate medical attention.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

No unusual fire or explosion hazards noted.

Wear suitable protective equipment.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Avoid inhalation of vapors. Wear appropriate personal protective equipment.

Methods and materials for containment and cleaning up Absorb spillage with suitable absorbent material. For waste disposal, see section 13 of the SDS. Clean surface thoroughly to remove residual contamination.

## 7. Handling and storage

Precautions for safe handling

As a general rule, when handling USP Reference Standards, avoid all contact and inhalation of dust, mists, and/or vapors associated with the material. Clean equipment and work surfaces with suitable detergent or solvent after use. After removing gloves, wash hands and other exposed skin thoroughly.

Conditions for safe storage. including any incompatibilities Store in tight container as defined in the USP-NF. This material should be handled and stored per label instructions to ensure product integrity.

#### 8. Exposure controls/personal protection

#### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Material	Type	Value	Form	
Mineral Oil (CAS	PEL	5 mg/m3	Mist.	
8012-95-1)		_		

### **US. NIOSH: Pocket Guide to Chemical Hazards**

Material	Type	Value	Form
Mineral Oil (CAS 8012-95-1)	REL	5 mg/m3	Mist.
33.2 33 1)	STEL	10 mg/m3	Mist.

#### US. ACGIH Threshold Limit Values

Material	Туре	Value	Form
Mineral Oil (CAS	TWA	5 mg/m3	Inhalable fraction.
8012-95-1)			

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

3 OF 5 MAGIC ODOR BLOCKER Revision Date 10/18/2022

Appropriate engineering

controls

Airborne exposure should be controlled primarily by engineering controls such as general dilution ventilation, local exhaust ventilation, or process enclosure. Local exhaust ventilation is generally preferred to general exhaust because it can control the contaminant at its source, preventing dispersion into the work area. An industrial hygiene survey involving air monitoring may be used to determine the effectiveness of engineering controls. Effectiveness of engineering controls intended for use with highly potent materials should be assessed by use of nontoxic surrogate materials.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Safety glasses with sideshields are recommended. Face shields or goggles may be required if

splash potential exists or if corrosive materials are present. Approved eye protection (e.g., bearing

the ANSI Z87 or CSA stamp) is preferred. Maintain eyewash facilities in the work area.

Skin protection

Other

Hand protection Chemically compatible gloves. For handling solutions, ensure that the glove material is protective

against the solvent being used. Use handling practices that minimize direct hand contact.

Employees who are sensitive to natural rubber (latex) should use nitrile or other synthetic nonlatex

gloves. Use of powdered latex gloves should be avoided due to the risk of latex allergy.

For handling of laboratory scale quantities, a cloth lab coat is recommended. Where significant

quantities are handled, work clothing may be necessary to prevent take-home contamination.

Respiratory protection Where respirators are deemed necessary to reduce or control occupational exposures, use

NIOSH-approved respiratory protection and have an effective respirator program in place

(applicable U.S. regulation OSHA 29 CFR 1910.134).

Thermal hazards Not available.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

## Physical and chemical properties

**Appearance** Clear, colorless liquid.

Physical stateLiquid.FormLiquid.orNot available.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling

range

Flash point

424.4 - 1189.4 °F (218 - 643 °C)

275.00 °F (135.00 °C) Closed Cup 380.00 °F (193.33 °C) Open Cup

> 239.00 °F (> 115.00 °C) (OC) [ASTM D92]

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility in water Insoluble.

Partition coefficient (n-octanol/water)

> 6

Auto-ignition temperature 500 °F (260 °C)

Decomposition temperature Not available.

Viscosity Not available.

Other information

Heat of combustion (NFPA

30B)

31.5 kJ/g

Kinematic viscosity >= 38.1 mm2/s

Specific gravity 0.845 - 0.905

## 10. Stability and reactivity

**Reactivity** Strong oxidizing agents. **Chemical stability** Stable at normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Avoid temperatures exceeding the flash point.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products

Irritating and/or toxic fumes or gases. Emits toxic fumes under fire conditions.

### 11. Toxicological information

#### Information on likely routes of exposure

IngestionMay be fatal if swallowed and enters airways.InhalationMay be fatal if swallowed and enters airways.Skin contactDue to lack of data the classification is not possible.

**Eye contact** Causes serious eye irritation.

Symptoms related to the physical, chemical, and toxicological characteristics

Nausea. Vomiting. Diarrhea. Laxative effects.

Medical conditions aggravated

by exposure

Hypersensitivity to material. Appendicitis. Intestinal problems. Ulcerative colitis. Rectal bleeding.

Acute toxicity Not available.

**Skin corrosion/irritation**Based on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Local effects

100 mg Skin irritancy test

Result: Mild.

Species: Guinea pig Test Duration: 24 hours 100 mg Skin irritancy test

Result: Mild.
Species: Rabbit
Test Duration: 24 hours
500 mg Eye irritancy test
Result: Moderate.
Species: Rabbit

**Respiratory sensitization** Due to lack of data the classification is not possible.

**Skin sensitization** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity**Due to lack of data the classification is not possible.
Data from germ cell mutagenicity tests were not found.

#### Mutagenicity

Mutagenicity test in S. typhimurium, administered using

highly refined mineral oil Result: Negative.

Sister chromatid exchange test in hamsters

Result: Negative.

**Carcinogenicity** Based on available data, the classification criteria are not met.

This material is not considered to be a carcinogen by IARC, NTP, or OSHA.

0 - 5 % Dietary carcinogenicity study, using medicinal-grade

petroleum and liquid paraffin

Result: No significant increase in tumor incidence.

Species: Rat

Test Duration: 104 weeks

Carcinogenicity study of skin, utilizing application of highly

refined, food-grade mineral oils

Result: No skin tumors. Species: Mouse

Carcinogenicity study, subcutaneous administration of three

different grades of medicinal petroleum

Result: No tumors induced.

Species: Mouse

Carcinogenicity study, using intraperitoneal injection of two

food-grade mineral oils

Result: Induced plasma-cell neoplasms and reticulum-cell

sarcomas in certain strains of mice.

Species: Mouse

**Reproductive toxicity**Based on available data, the classification criteria are not met.

Hypothrombinemia and hemorrhagic disease of the newborn have occurred following chronic use

of mineral oil during pregnancy.

Specific target organ toxicity -

single exposure

Due to lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to lack of data the classification is not possible.

**Aspiration hazard** May be fatal if swallowed and enters airways.

## 12. Ecological information

### **Ecotoxicity**

Product Species Test Results

Mineral Oil (CAS 8012-95-1)

Aquatic

Fish LC50 Bluegill (Lepomis macrochirus) > 10000 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potentialNot available.Mobility in soilNot available.Other adverse effectsNot available.

### 13. Disposal considerations

**Disposal instructions** Dispose in accordance with all applicable regulations. Under RCRA, it is the responsibility of the

user of the product to determine, at the time of disposal, whether the product meets RCRA criteria

for hazardous waste.

Local disposal regulations Not available.

Hazardous waste code Not available.

Waste from residues / unused Disp

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

#### DOT

Not regulated as a hazardous material by DOT.

### IATA

Not regulated as a dangerous good.

Transport in bulk according to

No information available.

Annex II of MARPOL 73/78 and

the IBC Code

### 15. Regulatory information

**US federal regulations** CERCLA/SARA Hazardous Substances - Not applicable.

All components are on the U.S. EPA TSCA Inventory List.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

INC

SARA 311/312 Hazardous

chemical

No

#### Other federal regulations

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug Administration (FDA)

**Ig** Not regulated.

**US state regulations**California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material

is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

# 16. Other information, including date of preparation or last revision

 Issue date
 08-29-2016

 Revision date
 08 29-2016

Version # 01

Further information Not available.

#### **Disclaimer**

Magic Cast Products has compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)