

## SAFETY DATA SHEET

- Alian - Alia			MAGIC FLA	ME	<b>Revision Date</b>	10/18/2022
SECTION – 1	CHEMICAL PRODUCT AND C	COMPANY IDE	ENTIFICATION			
PRODUCT NAME COMPANY NAME	Magic Cast Products		PRODUCT USE Office	Soldering Compound (870) 330-4061	Item Nu	mber 11962
	3500 Tennessee Road		Fax	(870) 330-4065		
	Texarkana AR	71854	Web	www.magiccastproducts.com	<u>n</u>	
	EMERGENCY TELEPHON	E NUMBER	INFOTRAC	(800) 535-5053		
SECTION – 2	HAZARDS INFORMATION					
PHYSICAL HAZARDS HEALTH HAZARDS	None EYES-Category 2B, SKIN-Category 2	, STOT SINGLE	EXPOSURE-Category	3, REPRODUCTIVE-Category 2		
	Irritant (ski Narcotic Ef Respiratory		Reproduc	ive Toxicity		
WARNING!	dizziness, Do not get in eyes	, on skin, or sferring, Use	clothing, and avoid	owed, May cause respiratory d inhalation of mist, vapor, or e equipment as required, Wa	fumes, Do not smoke, e	eat or drink
	Suspected of damaging fertil	ity or the unt	oorn child			
SECTION – 3	COMPOSITION INFORMATIO	N	(Exac	t percentage of the listed chemicals of co	omposition has been withheld as	a trade secret)
CHEMICAL NAME	COMMON	NAME AND S	YNONYMS	<u>CAS #</u> IMF	PURITIES	PERCENT
Boric Acid	Ortho-	Boric Acid, Borac	ic Acid 10	043-35-3		70 - 90%
The exact percent	ages (concentration) of mixture h	as been withh	eld as a trade secret	in accordance to paragraph (i) of	§1910.1200.	
SECTION - 4	FIRST AID MEASURES					

EYE CONTACT	Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids. Remove contact lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists obtain immediate medical attention, preferably from an ophthalmologist.					
SKIN CONTACT	Wash contaminated skin with plenty of soap and water. Remove any contaminated clothing and wash before reuse. If irritation is present or occurs obtain medical attention.					
INHALATION	Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical attention					
INGESTION	DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to dilute and obtain immediate medical attention. If vomiting occurs, keep head below hips to prevent aspiration into the lungs					
Aspiration Hazard	Not considered to be an aspiration hazard					
ACUTE	SYMPTOMS OF SINGLE OVEREXPOSURE					
Eyes	Can cause eye irritation, redness, tearing					
Skin	May cause skin irritation, redness, burning					
Inhalation	Harmful if inhaled, Mist, vapor or fumes can cause irritation, to nose, throat or mucus membranes, Can cause, headache, coughing, dizziness, drowsiness					
Ingestion	Harmful if swallowed, Can cause irritation, of the mouth, throat, stomach, and gastrointestinal tract					
CHRONIC	SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE					
Eyes	Causes eye irritation, redness, tearing, pain					
Skin	Can cause skin irritation, redness, burning, or allergic skin reaction					
Inhalation	Harmful if inhaled, Mist, vapor or fumes can cause irritation, to nose, throat, mucus membranes or respiratory tract, Symptoms may include, headache, coughing, wheezing, breathing difficulties, dizziness, drowsiness, May affect, respiratory system, reproductive organs, central nervous system, kidneys					
Ingestion	Harmful if swallowed, Can cause severe irritation, of the mouth, throat, esophagus, stomach, and gastrointestinal tract, Ingestion can affect, kidneys, reproductive organs, respiratory system, central nervous system					

MAGIC FLAME 10/18/2022 Page 2 of 6 Revision Date SECTION - 5 FIRE FIGHTING MEASURES **Extinguishing Media** Not flammable: Use extinguishing media for surrounding fire **Hazardous Decomposition** Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, boron oxides, and other toxic fumes **Reactive With** Incompatible with, strong oxidizing agents, strong bases, potassium **Explosion Hazards** Can react with metals and release hydrogen gas Static Discharge Not applicable Mechanical Impact Not applicable **Protective Equipment** Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear FLAMMABLE LIQUIDS HAZARD CLASSIFICATION NFPA HAZARD RATINGS Criteria Flash point > 93.3°C (200°F) Health 2 NFPA Class III B Flammability 0 **GHS** Not applicable Reactivity 0 WHMIS Not applicable **Personal Protection** FBG SECTION - 6 ACCIDENTAL RELEASE MEASURES **Emergency Procedures** Warn personnel of spill **Personal Precautions** Ventilate area **Protective Equipment** Safety Glasses, Gloves, Dust Respirator Containment Use absorbent socks or pads to prevent spill from spreading **Clean Up Procedures** Small Spills: Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water Large Spills: Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container Vacuum or sweep up material and place in a disposal container Disposal Dispose of material in accordance with all State and Federal Guidelines and Regulations HANDLING AND STORAGE SECTION - 7 Handling Keep away from incompatible materials, Use appropriate safety equipment, and adequate ventilation, Avoid eye and skin contact, Avoid inhalation of mist, vapors or fumes, May cause respiratory irritation and/or drowsiness or dizziness, Harmful if swallowed, Do not allow smoking and food consumption while handling, Wash thoroughly after handling, Avoid release to the environment KEEP OUT OF REACH OF CHILDREN. Keep container closed when not in use. Store away from incompatible Storage materials Incompatible Materials Incompatible with, strong oxidizing agents, strong bases, alkaline earth metals, potassium **EXPOSURE CONTROLS / PERSONAL PROTECTION** SECTION – 8 EXPOSURE LIMITS Significant CHEMICAL NAME ACGIH (TWA 8) ACGIH (STEL) **OSHA PEL (TWA 8)** OSHA (CEIL) Exposure 2 mg/m3 6 mg/m3 10 mg/m3 5 mg/m3 Boric Acid PERSONAL PROTECTIVE EQUIPMENT

Chemical Safety Glasses, Goggles or Face Shield

Impervious **Chemical Gloves** 

Ventilation

General Ventilation

Ventilate to keep vapors of this material below the lowest ppm listed above. If over Threshold Limit Value use NIOSH approved respirator.

HMIS HAZARD RATINGS

Fve Wash

(Recommended)

Health	2
Flammability	0
Reactivity	0
<b>Personal Protection</b>	В

Page 3 of 6		MAGIC FLAME	Revision Date 10/18/2022					
	SICAL AND CHEMICAL PR							
Flash Point	Not Flammable	Specific Gravity / Relative Densi	tv ND					
Flammable Limits	ND	Molecular Weight	ND					
Auto-Ignition Temp.	ND	Initial Boiling Point	ND					
Physical State	Liquid	Boiling Range	ND					
Appearance	Pink Slurry	Vapor Pressure	ND					
Odor	Mild	Vapor Density	ND					
Odor Threshold	ND	Freeze Point	ND					
Solubility	ND	Melting Point	ND					
Volatiles	< 1%	Partition Coefficient	ND					
VOC	< 1%	Decomposition Temperature	ND					
pH (± 0.3)	4.5	Evaporation Rate	ND					
SECTION - 10 ST	ABILITY AND REACTIVITY							
Reactivity (Specific Test D	ata) None available							
Chemical Stability	Stable when store	l below 49°C (120°F)						
Hazardous Polymeriza	ation Will not occur							
Conditions To Avoid	Incompatible mate	rials						
Incompatible Material	•	strong oxidizing agents, strong bases, alkaline e	arth metals, notassium					
-	-		-					
Thermal Decompositi	fumes	decomposition can produce, carbon monoxide,	carbon dioxide, boron oxides, and other toxic					
SECTION – 11 TO		DN						
ROUTES OF EXPOSU	RE							
Eyes (Yes), Skin (Ye	s), Ingestion (Yes), Inhalat	on (Yes "Mist or Fumes")						
ACUTE	SYMPTOMS OF SINGLE O	/EREXPOSURE						
Eyes	Can cause eye irritation, r							
Skin	May cause skin irritation,	-						
Inhalation	•		or mucus membranes. Can cause					
initiation	ation Harmful if inhaled, Mist, vapor or fumes can cause irritation, to nose, throat or mucus membranes, Can cause, headache, coughing, dizziness, drowsiness							
Ingestion	Harmful if swallowed, Can	cause irritation, of the mouth, throat, stomach, a	nd gastrointestinal tract					
<b>CHRONIC</b>	SYMPTOMS OF PROLONG	ED OR REPEATED OVEREXPOSURE						
Eyes	Causes eye irritation, redu	ness, tearing, pain						
Skin	Can cause skin irritation,	edness, burning, or allergic skin reaction						
Inhalation								
Ingestion	Harmful if swallowed, Car	cause severe irritation, of the mouth, throat, esc kidneys, reproductive organs, respiratory syster						
Acute Tox Calculated	<b>Oral:</b> 3,768		Inhaled: mg/L					
Acute Tox Category	"Not applicable (Oral > 2,000	mg/kg)", "Not applicable (Dermal > 2,000 mg/kg)", "Not	o data available (Inhaled)"					
Additional Info	Exposure may cause, adv	erse reproductive effects, infertility						
Target Organs	Kidneys, Respiratory Trac	t, Eyes (Lens or cornea), Skin, Central Nervous	System, Reproductive Organs					
Medical Conditions		central nervous system, respiratory, disorders m						
Notes to Physician	•	ic lavage with activated charcoal can be used pr						
•		rations above 0.1% of the following:						
	NTP	ACGIH IARC	GHS Category					
None Listed								
		av cause fetal and reproductive charmelities						
CHEMICAL NAME	Germ Cell Mutagenio	ay cause fetal and reproductive abnormalities.	production					
Boric Acid			suspected of damaging fertility or the unborn child)					

Boric Acid

2 (Warning, Suspected of damaging fertility or the unborn child)

Page 4 of 6			MAGIC FLAME		Revisi	ion Date 10	0/18/2022
SECTION - 11 TOXICOLOGIC	CAL INFORMA	TION - CONTINUE	ED				
ACUTE TOXICITY Boric Acid	<u>Type</u> LD50 LD50	<u>Form</u> Dermal Oral	<u>Subject</u> Rabbit Rat	Result Value > 2000 mg/kg 2660 mg/kg	Exposure Time	<u>GHS Cate</u> (>2000 m (>2000 m	ig/kg)
SECTION – 12 ECOLOGICAL	INFORMATIO	N					
CHEMICAL NAME	Type	Subject	Subject Latin	<u>Result Value</u>	Exposure Time	GHS Cate	gory
Boric Acid	LC50	Squawfish	(Ptychocheilus lucius)	279 mg/L	96 Hours	4 (>100 m	g/L)
	EC50	Water Flea	(Daphnia magna)	133 mg/L	48 Hours	4 (>100 m	g/L)
	LC50	Bluegill	(Lepomis macrochirus)	> 1021 mg/L	96 Hours	4 (>100 m	g/L)
Presistence And Degradability	Not readily	degradable					
Bioaccumulative Potential	No data available						
Mobility In Soil	Expected t	o have low mobi	lity in soil				
Other Adverse Effects	No data av	ailable					
SECTION – 13 DISPOSAL CO	NSIDERATIO	NS					

## DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

## ENVIRONMENTAL FATE

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste.

This material as supplied, when discarded or disposed of, is a hazardous waste according to Federal Regulations (40 CFR 261) due to its composition containing in some or all of its components.

The transportation, storage, treatment and disposal of RCRA waster material must be conducted in compliance with 40 CFR 262, 263, 264 and 270. Disposal can only occur in properly permitted facilities.

Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate, or otherwise inappropriate.

SECTION – 14	TRANSPORT INFORMATI	ON			
D.O.T. CLASSIFIC	ATION				
UN Number		Proper Shippin	ng Name		
Not Regulated	Non Hazardous	s – Compounds Cleanin	g Liquid		
Hazard Class	Packing Group	Label Codes	Reportable Quantity (lbs)	Response Code	Marine Pollutant
None	PG III	None	None	154	No

Page 5 of 6					M	AGIC I	FLAME				Re	vision Date	e 10	/18/2022
SECTION - 1	5 REGULATORY II	NFORMATIC	N											
<u>TSCA</u>														
CHEMICAL N	IAME	Sec 8(b)	Inventory	S	ec 8(d) H	lealth A	nd Safety	Se	ec 4(a) Che	mical Test	Rules	Sec 12(b	) Export N	otification
Boric Acid		Y	es											
<u>REPORTABL</u>	E QUANTITIES		Extremely	Hazardous	s		Reportable	Quantity	Emissio	n Reporting	9			
	IAME	EPCRA TP	Q Sec 302	EPCRA	RQ Sec	304	CERCLA RO	Sec 103	TRIS	Sec 313	RC	RA Code	RMP T	Q Sec 112r
None Listed														
SARA		Se	ction 311	l				Section	on 311 / 3	812 Hazar	ds			
CHEMICAL N	IAME	Hazaro	lous Che	mical		Acute		Chronic	FI	ammable		Pressure	R	eactive
Boric Acid			Yes			Yes		Yes						
RIGHT TO KN	<u>IOM</u>						STATE							
CHEMICAL N	IAME	CA	СТ	FL	۱L	LA	NJ	NY	PA	мі	MN	MA	RI	wi
Boric Acid							Yes		Yes					
CALIFORNIA				WARNII	NG! Th	is prod	duct conta	ins chem	nicals kno	own to th	e state	of Californ	ia to cau	ise:
	IAME	CAS #		Birth D	efects		Reprodu	ctive Har	m	Carcin	ogen	D	evelopm	ental
None Listed														
	WATER ACTS			Clean	Air Ac	ts					Clean V	Vater Acts		
CHEMICAL N	IAME	CAS #		HAP		Ozor	ne Class 1	Ozor	ne Class	2	HS	PP		TP
None Listed														
INTERNATIO	NAL REGULATIONS -	The compo	nents of t	his produ	uct are	listed o	on the chen	nical inve	ntories of	the follow	ing cou	ntries:		
	IAME	Austr	alia	Ca	inada	E	urope (EIN	IECS)	Japa	ın	K	orea		UK
Boric Acid		Ye	s	١	ſes		Yes		Yes	5	١	/es	Ň	Yes
WHMIS Class	sification_													
	IAME		DSL	Class	Desc	ription	ı							
Boric Acid			Yes	D-2A	Mate	erials C	Causing O	ther Tox	ic Effects	s; Very T	oxic Ma	aterial		
DSCL (EEC)														
Code	Definition (R-Phrases	S-Phrases	)											
R20/21/22	Harmful by inhalation	, in contact	with ski	n and if	swallo	wed								
R36/37/38	Irritating to eyes, resp													
R63	Possible risk of harm													
S2	Keep out of the reach													
S9	Keep container in a w		-				<b>.</b> .							
S26	In case of contact wit	-		-	-	-		a seek n	nedical a	avice				
S38	In case of insufficient													
S62	If swallowed, do not in		-	ek medi	cal adv	vice in	nmediatel	/ and sh	ow this c	container	or labe	el where p	ossible	
S20/21	When using do not ea													
S24/25	Avoid contact with sk	-												
S3/14	Keep in a cool place	-	-	-				ted by th	ne manu	tacturer)				
S36/37/39	Wear suitable protect	ive clothing	g, gloves	and ey	e/tace	prote	ction							

SDS	Legend Description		
ACGIH	American Conference of Governmental Industrial Hygienists	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CAS	Chemical Abstracts Service Registry	LEL	Lower Explosive Limit
CEIL	Ceiling Limit (15 minutes)	NA	Not Applicable
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	ND	Not Determined
EPA	Environmental Protection Agency	NE	Not Established
ЪG	Full Bunker Gear	NFPA	National Fire Protection Association
HAP	California Hazardous air pollutant Clean Air Act	NIOSH	National Institute for Occupational Safety and Health
HMIS-A	Safety Glasses	NTP	National Toxicology Program
HMIS-B	Safety glasses, gloves	OSHA	Occupational Safety and Health Administration
HMIS-C	Safety glasses, gloves, chemical apron	PEL	Permissible Exposure Limit (OSHA)
HMIS-D	Face shield, gloves, chemical apron	PP	California Priority Pollutant under the Clean Water Act
HMIS-E	Safety glasses, gloves, dust respirator	REL	Recommended exposure limit (NIOSH)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Air concentration that is lethal to 50% of a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
IS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
ARC	International Agency for Research on Cancer	UEL	Upper Explosive Limit
LC50	Air concentration that is lethal to 50% of a given species in a given time	WHMIS	Worker Hazardous Materials Information System (Canada)

## Magic Cast Products

and nCites, L.L.C. have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Supersedes Safety Data Sheet Dated 6/14/2017