



SAFETY DATA SHEET

PURE MAGIC

Revision Date 10/18/2022

SECTION – 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME Pure Magic **PRODUCT USE** Powdered Ultra Sonic Concentrate **Item Number** 11975
COMPANY NAME Magic Cast Products **Office** (870) 330-4061
3500 Tennessee Road **Fax** (870) 330-4065
Texarkana AR 71854 **Web** www.magiccastproducts.com
EMERGENCY TELEPHONE NUMBER **INFOTRAC** (800) 535-5053

SECTION – 2 HAZARDS INFORMATION

PHYSICAL HAZARDS None
HEALTH HAZARDS EYES-Category 1, SKIN-Category 2, STOT SINGLE EXPOSURE-Category 3



Irritant (skin)
Respiratory Tract Irritant



Eye Damage

DANGER! Causes serious eye damage, Causes skin irritation, Harmful if swallowed, May cause respiratory irritation, Do not get in eyes, on skin, or clothing, and avoid inhalation of dust, Do not allow smoking or food consumption while handling, Use personal protective equipment as required, Wash thoroughly after handling, Avoid release into the environment

SECTION – 3 COMPOSITION INFORMATION

(Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

<u>CHEMICAL NAME</u>	<u>COMMON NAME AND SYNONYMS</u>	<u>CAS #</u>	<u>IMPURITIES</u>	<u>PERCENT</u>
Ethylenediaminetetraacetate	Tetrasodium Ethylenediaminetetraacetate	13235-36-4		1 - 5%
Trisodium Phosphate	Sodium phosphate	7601-54-9		1 - 5%

The exact percentages (concentration) of mixture has been withheld as a trade secret in accordance to paragraph (i) of §1910.1200.

SECTION – 4 FIRST AID MEASURES

EYE CONTACT Immediately flush eyes with cold water for at least 15 minutes while lifting upper and lower eyelids, Remove contact lenses if present and easy to do without injury to the eye and continue rinsing, If irritation persists obtain medical attention, preferably from an ophthalmologist

SKIN CONTACT Wash contaminated skin with plenty of water, Remove any contaminated clothing and wash before reuse, If irritation is present or occurs obtain medical attention

INHALATION Move person to fresh air, if they have problem breathing, show signs of overexposure or feel unwell obtain medical attention

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to dilute and obtain immediate medical attention

Aspiration Hazard Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes Causes serious eye irritation, redness, tearing, pain, or possible corneal injury

Skin Can cause skin irritation, redness, drying or cracking

Inhalation Dust can cause irritation, to mucus membranes or respiratory tract

Ingestion Harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus, Slight acute toxicity if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes Causes serious eye damage, redness, tearing, pain

Skin Causes skin irritation, redness, burning, drying or cracking

Inhalation Dust can cause irritation, to nose, throat, mucus membranes or respiratory tract

Ingestion Harmful if swallowed, Causes irritation, of the mouth, throat, and esophagus, Moderate acute toxicity if swallowed

SECTION – 5 FIRE FIGHTING MEASURES

Extinguishing Media	Not flammable: Use extinguishing media for surrounding fire
Hazardous Decomposition	Burning or thermal decomposition can produce, phosphorus oxides, carbon monoxide, carbon dioxide, sodium oxides, and other toxic fumes
Reactive With	Reactive with, strong oxidizing agents, strong acids
Explosion Hazards	Not applicable
Static Discharge	Not applicable
Mechanical Impact	Not applicable
Protective Equipment	Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

FLAMMABLE LIQUIDS HAZARD CLASSIFICATION	
Criteria	Flash point > 93.3°C (200°F)
NFPA Class	Class III B
GHS	Not applicable
WHMIS	Not applicable

NFPA HAZARD	RATINGS
Health	2
Flammability	0
Reactivity	0
Personal Protection	FBG

SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures	Warn personnel of spill
Personal Precautions	Ventilate area
Protective Equipment	Safety Glasses, Gloves, Dust Respirator
Containment	Prevent spill from spreading or entering the environment
Clean Up Procedures	Sweep up material and place in a disposal container
Disposal	Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION – 7 HANDLING AND STORAGE

Handling	Keep away from incompatible materials, Use appropriate safety equipment, Avoid eye and skin contact, Avoid inhalation of dust, May cause respiratory irritation, Harmful if swallowed, Do not allow smoking and food consumption while handling, Wash thoroughly after handling, Avoid release to the environment
Storage	KEEP OUT OF REACH OF CHILDREN, Keep container closed when not in use, Store away from incompatible materials
Incompatible Materials	Incompatible with, strong oxidizing agents, strong acids

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS					Significant Exposure
CHEMICAL NAME	ACGIH (TWA 8)	ACGIH (STEL)	OSHA PEL (TWA 8)	OSHA (CEIL)	
Ethylenediaminetetraacetate	None Established				
Trisodium Phosphate		(WEEL) 5 mg/m3			

PERSONAL PROTECTIVE EQUIPMENT



Chemical Safety Glasses, Goggles or Face Shield



Impervious Chemical Gloves



Dust Mask



Eye Wash (Recommended)



Ventilation

General Ventilation

Ventilate to keep dusts of this material below the lowest ppm listed above. If over Threshold Limit Value use NIOSH approved High-efficiency particulate respirator with full facepiece.

HMIS HAZARD RATINGS

Health	2
Flammability	0
Reactivity	0
Personal Protection	E

SECTION – 9 PHYSICAL AND CHEMICAL PROPERTIES

Flash Point	Not Flammable	Specific Gravity / Relative Density	ND
Flammable Limits	ND	Molecular Weight	ND
Auto-Ignition Temp.	ND	Initial Boiling Point	ND
Physical State	Solid	Boiling Range	ND
Appearance	Greenish Yellow Powder	Vapor Pressure	ND
Odor	Detergent	Vapor Density	ND
Odor Threshold	ND	Freeze Point	ND
Solubility	100%	Melting Point	ND
Volatiles	< 1%	Partition Coefficient	ND
VOC	< 1%	Decomposition Temperature	ND
pH (± 0.3)	10.7 (3% Solution)	Evaporation Rate	ND

SECTION – 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data)	None available
Chemical Stability	Stable when stored below 49°C (120°F)
Hazardous Polymerization	Will not occur
Conditions To Avoid	Incompatible materials
Incompatible Materials	Incompatible with, strong oxidizing agents, strong acids
Thermal Decomposition	Burning or thermal decomposition can produce, sulfur oxides, phosphorus oxides, carbon monoxide, carbon dioxide, and other toxic fumes

SECTION – 11 TOXICOLOGICAL INFORMATION**ROUTES OF EXPOSURE**

Eyes (Yes), Skin (Yes), Ingestion (Yes), Inhalation (Yes "Mist or Fumes")

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes	Causes serious eye irritation, redness, tearing, pain, or possible corneal injury
Skin	Can cause skin irritation, redness, drying or cracking
Inhalation	Dust can cause irritation, to mucus membranes or respiratory tract
Ingestion	Harmful if swallowed, Can cause irritation, of the mouth, throat, and esophagus, Slight acute toxicity if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes	Causes serious eye damage, redness, tearing, pain
Skin	Causes skin irritation, redness, burning, drying or cracking
Inhalation	Dust can cause irritation, to nose, throat, mucus membranes or respiratory tract
Ingestion	Harmful if swallowed, Causes irritation, of the mouth, throat, and esophagus, Moderate acute toxicity if swallowed

Acute Tox Calculated Oral: 9,611 mg/kg Dermal: 25,398 mg/kg Inhaled: 162 mg/L

Acute Tox Category "Not applicable (Oral > 2,000 mg/kg)", "Not applicable (Dermal > 2,000 mg/kg)", "Not applicable (Inhaled > 5 mg/L) Dust or Mist"

Additional Info

Target Organs	Respiratory Tract, Eyes (Lens or cornea), Skin
Medical Conditions	Preexisting, eye, skin, respiratory, disorders may be aggravated by exposure to this product
Notes to Physician	Treat symptoms

CARCINOGENIC – This product contains concentrations above 0.1% of the following:

CHEMICAL NAME	NTP	ACGIH	IARC	GHS Category
None Listed				

MUTAGENIC AND REPRODUCTIVE EFFECTS – May cause fetal and reproductive abnormalities.

CHEMICAL NAME	Germ Cell Mutagenicity	Toxic to Reproduction
None Listed		

SECTION – 11 TOXICOLOGICAL INFORMATION - CONTINUED

<u>ACUTE TOXICITY</u>	<u>Type</u>	<u>Form</u>	<u>Subject</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Trisodium Phosphate	LD50	Oral	Rat	7400 mg/kg		(>2000 mg/kg)
Ethylenediaminetetraacetate	LD50	Oral	Rat	630 mg/kg		(>2000 mg/kg)

SECTION – 12 ECOLOGICAL INFORMATION

<u>CHEMICAL NAME</u>	<u>Type</u>	<u>Subject</u>	<u>Subject Latin</u>	<u>Result Value</u>	<u>Exposure Time</u>	<u>GHS Category</u>
Trisodium phosphate	LD50	Mosquito Fish	(Gambusia affinis)	28.5 mg/L	96 Hours	3 (>10, ≤100 mg/L)
Ethylenediaminetetraacetate	EC50	Water Flea	(Daphnia magna)	625 mg/L	48 Hours	4 (>100 mg/L)
	LC50	Bluegill	(Lepomis macrochirus)	41 mg/L	96 Hours	3 (>10, ≤100 mg/L)

Presistence And Degradability Phosphates may persist in the environment

Bioaccumulative Potential No data available

Mobility In Soil No data available

Other Adverse Effects Harmful to aquatic life

SECTION – 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

ENVIRONMENTAL FATE

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste.

This material as supplied, when discarded or disposed of, is a hazardous waste according to Federal Regulations (40 CFR 261) due to its composition containing in some or all of its components.

The transportation, storage, treatment and disposal of RCRA waster material must be conducted in compliance with 40 CFR 262, 263, 264 and 270. Disposal can only occur in properly permitted facilities.

Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate, or otherwise inappropriate.

SECTION – 14 TRANSPORT INFORMATION**D.O.T. CLASSIFICATION**

<u>UN Number</u>	<u>Proper Shipping Name</u>				
Not Regulated	Non Hazardous – Compounds Cleaning Solid				
<u>Hazard Class</u>	<u>Packing Group</u>	<u>Label Codes</u>	<u>Reportable Quantity (lbs)</u>	<u>Response Code</u>	<u>Marine Pollutant</u>
None	PG III	None	None	154	No

SECTION – 15 REGULATORY INFORMATION

TSCA

CHEMICAL NAME	Sec 8(b) Inventory	Sec 8(d) Health And Safety	Sec 4(a) Chemical Test Rules	Sec 12(b) Export Notification
Ethylenediaminetetraacetate	Yes			

REPORTABLE QUANTITIES

CHEMICAL NAME	Extremely Hazardous EPCRA TPQ Sec 302	Reportable Quantity EPCRA RQ Sec 304	Emission Reporting CERCLA RQ Sec 103	TRI Sec 313	RCRA Code	RMP TQ Sec 112r
None Listed						

SARA

CHEMICAL NAME	Section 311			Section 311 / 312 Hazards			
	Hazardous Chemical	Acute	Chronic	Flammable	Pressure	Reactive	
Trisodium phosphate	Yes	Yes					
Ethylenediaminetetraacetate	Yes	Yes					

RIGHT TO KNOW

CHEMICAL NAME	STATE												
	CA	CT	FL	IL	LA	NJ	NY	PA	MI	MN	MA	RI	WI
Trisodium phosphate						Yes		Yes				Yes	
Ethylenediaminetetraacetate							Yes	Yes				Yes	

CALIFORNIA

WARNING! This product contains chemicals known to the state of California to cause:					
CHEMICAL NAME	CAS #	Birth Defects	Reproductive Harm	Carcinogen	Developmental
None Listed					

CLEAN AIR WATER ACTS

CHEMICAL NAME	CAS #	Clean Air Acts			Clean Water Acts		
		HAP	Ozone Class 1	Ozone Class 2	HS	PP	TP
None Listed							

INTERNATIONAL REGULATIONS – The components of this product are listed on the chemical inventories of the following countries:

CHEMICAL NAME	Australia	Canada	Europe (EINECS)	Japan	Korea	UK
None Listed						

WHMIS Classification

CHEMICAL NAME	DSL	Class	Description
Tetrapotassium Phosphate	Yes	E	Corrosive Material

DSCL (EEC)

Code	Definition (R-Phrases / S-Phrases)
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed
R36/37/38	Irritating to eyes, respiratory system and skin
S2	Keep out of the reach of children
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
S46	If swallowed, seek medical advice immediately and show this container or label
S61	Avoid release to the environment
S62	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible
S24/25	Avoid contact with skin and eyes
S36/37/39	Wear suitable protective clothing, gloves and eye/face protection

SECTION – 16 OTHER INFORMATION

SDS	Legend Description		
ACGIH	American Conference of Governmental Industrial Hygienists	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CAS	Chemical Abstracts Service Registry	LEL	Lower Explosive Limit
CEIL	Ceiling Limit (15 minutes)	NA	Not Applicable
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	ND	Not Determined
EPA	Environmental Protection Agency	NE	Not Established
FBG	Full Bunker Gear	NFPA	National Fire Protection Association
HAP	California Hazardous air pollutant Clean Air Act	NIOSH	National Institute for Occupational Safety and Health
HMIS-A	Safety Glasses	NTP	National Toxicology Program
HMIS-B	Safety glasses, gloves	OSHA	Occupational Safety and Health Administration
HMIS-C	Safety glasses, gloves, chemical apron	PEL	Permissible Exposure Limit (OSHA)
HMIS-D	Face shield, gloves, chemical apron	PP	California Priority Pollutant under the Clean Water Act
HMIS-E	Safety glasses, gloves, dust respirator	REL	Recommended exposure limit (NIOSH)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Air concentration that is lethal to 50% of a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
IARC	International Agency for Research on Cancer	UEL	Upper Explosive Limit
LC50	Air concentration that is lethal to 50% of a given species in a given time	WHMIS	Worker Hazardous Materials Information System (Canada)

Magic Cast Products

and nCites, L.L.C. have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries, losses, or damages to persons or property arising from the use of this product or information.

Supersedes Safety Data Sheet Dated 6/14/2017